Journal of Immuological Methods, 123 (1989) 300–301
Elsevier

Contents to volume 123

Number 1 – 29 September 1989

Research reports

One-step immunoaffinity purification of bioactive human recombinant IL-1β with a monoclonal antibody directed to a well-exposed domain of the protein
M. Bigio, R. Rossi, M.G. Borri, M.C. Casagli, D. Nucci, C. Baldari, G. Volpini and D. Boraschi (Italy) 1

Examination of macrophage cell surface antigen regulation by rIFN-γ and IFN-α/β utilizing digital imaging by a novel laser detection system. Anchored cell analysis station (ACAS) 470
M.M. Hogan, P.Y. Perera and S.N. Vogel (U.S.A.) 9

Assay of complement activity in human serum using large unilamellar liposomes
T. Masaki, N. Okada, R. Yasuda and H. Okada (Japan) 19

Measurement of leukocyte motility and chemotaxis parameters with the Millipore filter assay
H.M. Buettner, D.A. Lauffenburger and S.H. Zigmond (U.S.A.) 25

Use of dried blood on filter paper in the ELISA for *Brucella abortus*
G. McLean and F. Hilbink (New Zealand) 39

Enhancement of hybridoma production by medium supplemented with murine ascitic fluid
S.S. Stewart and S.A. Fuller (Canada) 45

A staphylococcal protein A rosetting assay for the demonstration of high affinity IgE receptors on rIL-3-dependent human basophil-like cells grown in mixed cell cultures
A.S. Kirshenbaum, S.C. Dreskin and D.D. Metcalfe (U.S.A.) 55

Estimation of immunoglobulin protease activity by quantitative rocket immunoelectrophoresis
M.O. Lassiter, J.C. Kindle, L.C. Hobbs and R.L. Gregory (U.S.A.) 63

Terasaki-ELISA for murine IgE. III. Determination of concentration and functional affinity by sequential equilibrium binding analysis
S.S. Pathak, Q. Vos and H.F.J. Savelkoul (The Netherlands) 71

Monoclonal anti-nucleoside antibodies. Characterization and application in an enzyme immunoassay of single-stranded DNA
F. Traincard, D. Chevrier, J.C. Mazie and J.L. Guesdon (France) 83

A colony assay system that detects B cell progenitors in fresh and cultured bone marrow
K. Dorshkind, A. Johnson, Y. Harrison and K.S. Landreth (U.S.A.) 93

A rapid sample preparation technique for flow cytometric analysis of immunofluorescence allowing absolute enumeration of cell subpopulations
L.W.M.M. Terstappen, H. Meiners and M.R. Loken (U.S.A.) 103

Microplate selection technique (MPST). A new method for selecting mouse transfectants expressing human gene products
L. Peruzzi, G. Melioli, L.B. De Monte, M. Alessio, M. Zaccolo, S. Roggero, G. Bellone, A. Funaro and F. Malavasi (Italy) 113

A sandwich enzyme-linked immunoadsorbent assay for detection of murine macrophage colony-stimulating factor (CSF-1)
B.L. Lokeshwar and H.-s. Lin (U.S.A.) 123

Use of bispecific hybrid antibodies for the development of a homogeneous enzyme immunoassay
G. Görög, A. Gandolfi, G. Paradisi, E. Rolleri, E. Klasen, V. Dessi, R. Strom and F. Celada (Italy) 131

Short communications

Immunocytochemical use of internally radiolabelled monoclonal antibodies against tyrosine hydroxylase, substance P and enkephalin
P.J. Elliott, A. Ribeiro-da-Silva and R.L. Kenigsberg (Canada) 141

Letters to the editors

Intra-assay complement activation may falsely indicate the presence of chemotactic factors in a test plasma or serum
K. Bergh and O.J. Iversen (Norway) 147

Comments on a paper of Tazzari et al. in J. Immunol. Methods 113 (1988) 215–219
S. Serke (F.R.G.) 149

0022-1759/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

Journal of Immuological Methods, 123 (1989) 300–301
Elsevier

Contents to volume 123

Number 1 – 29 September 1989

Research reports

One-step immunoaffinity purification of bioactive human recombinant IL-1β with a monoclonal antibody directed to a well-exposed domain of the protein
M. Bigio, R. Rossi, M.G. Borri, M.C. Casagli, D. Nucci, C. Baldari, G. Volpini and D. Boraschi (Italy) 1

Examination of macrophage cell surface antigen regulation by rIFN-γ and IFN-α/β utilizing digital imaging by a novel laser detection system. Anchored cell analysis station (ACAS) 470
M.M. Hogan, P.Y. Perera and S.N. Vogel (U.S.A.) 9

Assay of complement activity in human serum using large unilamellar liposomes
T. Masaki, N. Okada, R. Yasuda and H. Okada (Japan) 19

Measurement of leukocyte motility and chemotaxis parameters with the Millipore filter assay
H.M. Buettner, D.A. Lauffenburger and S.H. Zigmond (U.S.A.) 25

Use of dried blood on filter paper in the ELISA for *Brucella abortus*
G. McLean and F. Hilbink (New Zealand) 39

Enhancement of hybridoma production by medium supplemented with murine ascitic fluid
S.S. Stewart and S.A. Fuller (Canada) 45

A staphylococcal protein A rosetting assay for the demonstration of high affinity IgE receptors on rIL-3-dependent human basophil-like cells grown in mixed cell cultures
A.S. Kirshenbaum, S.C. Dreskin and D.D. Metcalfe (U.S.A.) 55

Estimation of immunoglobulin protease activity by quantitative rocket immunoelectrophoresis
M.O. Lassiter, J.C. Kindle, L.C. Hobbs and R.L. Gregory (U.S.A.) 63

Terasaki-ELISA for murine IgE. III. Determination of concentration and functional affinity by sequential equilibrium binding analysis
S.S. Pathak, Q. Vos and H.F.J. Savelkoul (The Netherlands) 71

Monoclonal anti-nucleoside antibodies. Characterization and application in an enzyme immunoassay of single-stranded DNA
F. Traincard, D. Chevrier, J.C. Mazie and J.L. Guesdon (France) 83

A colony assay system that detects B cell progenitors in fresh and cultured bone marrow
K. Dorshkind, A. Johnson, Y. Harrison and K.S. Landreth (U.S.A.) 93

A rapid sample preparation technique for flow cytometric analysis of immunofluorescence allowing absolute enumeration of cell subpopulations
L.W.M.M. Terstappen, H. Meiners and M.R. Loken (U.S.A.) 103

Microplate selection technique (MPST). A new method for selecting mouse transfectants expressing human gene products
L. Peruzzi, G. Melioli, L.B. De Monte, M. Alessio, M. Zaccolo, S. Roggero, G. Bellone, A. Funaro and F. Malavasi (Italy) 113

A sandwich enzyme-linked immunoadsorbent assay for detection of murine macrophage colony-stimulating factor (CSF-1)
B.L. Lokeshwar and H.-s. Lin (U.S.A.) 123

Use of bispecific hybrid antibodies for the development of a homogeneous enzyme immunoassay
G. Görög, A. Gandolfi, G. Paradisi, E. Rolleri, E. Klasen, V. Dessi, R. Strom and F. Celada (Italy) 131

Short communications

Immunocytochemical use of internally radiolabelled monoclonal antibodies against tyrosine hydroxylase, substance P and enkephalin
P.J. Elliott, A. Ribeiro-da-Silva and R.L. Kenigsberg (Canada) 141

Letters to the editors

Intra-assay complement activation may falsely indicate the presence of chemotactic factors in a test plasma or serum
K. Bergh and O.J. Iversen (Norway) 147

Comments on a paper of Tazzari et al. in J. Immunol. Methods 113 (1988) 215–219
S. Serke (F.R.G.) 149

0022-1759/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

301

Reply to the letter of S. Serke
P.L. Tazzari, M. Gobbi, C. Tassi, R.M. Lemoli, A. Dinota, G. Visani and S. Tura (Italy) 151
A method to establish antibody secreting B cell lines and simultaneously perform frequency analysis
Z. Jingwu, P. Henderikx, C. Ying, R. Medear and J.C.M. Raus (Belgium) 153

Announcement 155

Notes to authors 156

Number 2 – 24 October 1989

Review article
Strategy for the production of human monoclonal antibodies using in vitro activated B cells
C.A.K. Borrebaeck (Sweden) 157

Research reports
A comparison of methods for the detection of human papillomavirus DNA by in situ hybridization with biotinylated probes on human carcinoma cell lines. Application to wart sections
I. Guérin-Reverchon, Y. Chardonnet, M.C. Chignol and J. Thivolet (France) 167
A flow cytometric technique for simultaneous analysis of human mononuclear cell surface antigens and DNA
K.M. Rigg, B.K. Shenton, I.A. Murray, A.L. Givan, R.M.R. Taylor and T.W.J. Lennard (U.K.) 177
Polycarbonate membranes: a novel surface for solid-phase determinations with utility in field format serological assays
C.L. Penney, J. Gauldie, M. Evelegh, M.T. Penney, D. Chong and P. Horsewood (Canada) 185
Production of monoclonal antibodies against interleukin-1α and -1β. Development of two enzyme immunometric assays (EIA) using acetylcholinesterase and their application to biological media
J. Grassi, Y. Frobert, P. Pradelles, F. Chercuitte, D. Gruaz, J.-M. Dayer and P.E. Poubelle (France, Canada, Switzerland) 193
The use of maleimidocaproyloxysuccinimide to prepare malarial peptide carrier immunogens. Immunogenicity of the linking region
G.L. Jones, H.M. Edmundson, L. Spencer, J. Gale and A. Saul (Australia) 211
Diagnosing endocarditis with the cloned 112 kDa antigen of *Enterococcus faecalis*
J.P. Burnie and I. Clark (U.K.) 217
A simple, rapid method for screening hybridomas producing monoclonal antibodies to platelet proteins
P. Perutelli, P. Marchese, P.G. Mori and G. Damiani (Italy) 227
Characterization of individual tumor necrosis factor α- and β-producing cells after polyclonal T cell activation
U. Andersson, G. Adolf, M. Dohlsten, G. Möller and H.-O. Sjögren (Sweden, Austria) 233
A solid-phase immunoassay for detection of IgA1 protease activity on agar plates
T.A. Brown and I.G. Leak (U.S.A.) 241
Analysis of isotype switch variants of a Qa-5 specific hybridoma
M. Beckwith, C.M. Moratz, H.A. Young and B.J. Mathieson (U.S.A.) 249
An improved spectrofluorometric assay for quantitating yeast phagocytosis in cultures of murine peritoneal macrophages
R.L. Ragsdale and R.J. Grasso (U.S.A.) 259
Immunological applications of type III Fc binding proteins. Comparison of different sources of protein G
E.L. Faulmann, R.A. Otten, D.J. Barrett and M.D.P. Boyle (U.S.A.) 269
The isolation of B lymphocytes from human peripheral blood using antibodies coupled to paramagnetic particles and rosetting techniques
T. Hebell and O. Götze (F.R.G.) 283
An enzyme immunoassay to detect specific antibodies to protein and lipopolysaccharide antigens of *Chlamydia trachomatis*
J.M. Ossewaarde, J.W. Manten, H.J. Hooft and A.C. Hekker (The Netherlands) 293

Book review 299

Contents to volume 123 (1989) 300

Notes to authors 302